

**CIMC** VEHICLES







Reliable, no matter where.



# **Tipping silo trailer**

Modular design, competitive tare weight and sustainable developments are the basis of our success story in Europe. For more than 15 years, LAG Trailers has been the market leader in the Benelux in developing and producing



# **Tipping silo trailer**

#### Standard

LAG Trailers has a suitable format for all your granulates or powders, with a maximum capacity of 65 m<sup>3</sup> (42 m<sup>3</sup> - 52 m<sup>3</sup> -55 m<sup>3</sup> - 58 m<sup>3</sup> - 60 m<sup>3</sup> - 63 m<sup>3</sup> - 65 m<sup>3</sup>). With a continuous aluminium chassis, a continuous tipping hinge and a stress-free tank, LAG is your answer to stability and safety. [1]

#### ADR

It is also possible to get your LAG tipping silo trailer in an ADR version. This version features higher-quality aluminium (in accordance with ADR regulations), protective brackets over the tank section and exhaust, ADR wiring and tank inspection. We can also fit a nitrogen system as an optional extra. [2]

#### Vacuum

Our range also includes a vacuum tipping silo trailer. This is fitted with a modified vacuum pipe and filter and the necessary reinforcement rings around the tank. The limited additional weight means you can use this trailer in your regular fleet as well as for vacuum work. [4]

### **Specials**

LAG tipping silo trailers can also be used for less common applications. For example, we can provide the tank with an inner lining (line coating) for the transport of aggressive bulk materials. Do you require a 4-axle tipping trailer for a higher payload? A drying system for accelerated drying of the tank after cleaning? Regardless of your requirements, we have the tipping silo trailer to meet your needs. [3]







### Non-tipping silo trailer

With more than 50 years of experience in the silo market, LAG Trailers is also your partner for non-tipping silo trailers. We produce robust non-tipping silo trailers using state-of-the-art welding and assembly processes. Our non-tipping silo trailers are available in capacities of 36 m<sup>3</sup> and 39 m<sup>3</sup>. The combination of a strong modular design, a high finishing grade and a low tare weight of fewer than 5 tonnes minimises your Total Cost of Ownership.









LAG Trailers NV • Kanaalaan 54 • 3960 Bree • Belgium Tel: +32 89 46 91 11 • www.lag.eu • info@lag.be